

CANEBERRY PROGRAM



ORGANIC TRIGGRR® **ORGANIC BIOLINK®**

CANEBERRY PROGRAM BENEFITS

Improves seedling and plant vigor which can lead to:

- Improved berry quality, uniformity and size
- Improved flowering, fruit set and yield
- Reduced alternate bearing
- Improved nutrient uptake

For use on all berry varieties, including: raspberries, blackberries, currants, loganberries, huckleberries, and other cane & bush berries.

SOIL* APPLICATION RATES

The soil application consists of the following products:

- Organic TRIGGRR®: 16-20 oz/A
- Organic BioLink® Cal-N: 1-2 qts/A
- Organic BioLink® 3-3-3 Fertilizer: 1-2 qts/A
- Organic BioLink® Potassium: 1-2 qts/A

To correct micronutrient deficiencies add:

- Organic BioLink® Micronutrient Fertilizer: 1-2 qts/A

FOLIAR** APPLICATION RATES

The foliar application consists of the following products:

- Organic TRIGGRR®: 16 oz/A
- Organic BioLink® Cal-N: 1 qt/A
- Organic BioLink® 3-3-3 Fertilizer: 1 qt/A

To correct micronutrient deficiencies add:

- Organic BioLink® Micronutrient Fertilizer: 1 qt/A

APPLICATION TIMINGS

Transplant application

Apply a soil* application of the program to increase early transplant root and canopy growth.

Bud swell through harvest

Apply soil* applications of the program every 3-4 weeks throughout the growing season.

20% bloom

Apply a foliar** application of the program to increase flower count and bloom uniformity. If the variety has a secondary bloom, repeat this application shortly after the start of the secondary bloom cycle.

Post-harvest applications (after pruning)

Apply a soil* application of the program.

Additional Application Information: Recommended program is compatible with most pesticides and fertilizers. Conduct a jar compatibility test prior to tank mixing the program with any untested tank mix combinations. The spray water for all applications should be acidified to a pH of 5 to 6. Always follow use directions on container labels before using these products.

Supplemental Information: Applications of the program may require adjustments in fertility and irrigation practices. Use best management and best use practices when applying these products. The program should be used as part of a complete fertility program.